

B08301. MEANS OF TRANSPORTATION TO WORK - Universe: WORKERS 16 YEARS AND OVER

Data Set: 2007 American Community Survey

Survey: American Community Survey

http://factfinder.census.gov/servlet/DataSetMainPageServlet?_program=ACS&_submenuld=datasets_2&_lang=en&_ts=

	United States			Oregon			Lane County, Oregon			Eugene, OR Urbanized Area			Eugene City, Oregon			Springfield city, Oregon		
	Estimate	Margin of Error	% share	Estimate	Margin of Error	% share	Estimate	Margin of Error	% share	Estimate	Margin of Error	% share	Estimate	Margin of Error	% share	Estimate	Margin of Error	% share
Total:	139,259,684	+/-109,445	100.0%	1,756,557	+/-13,874	100.0%	160,458	+/-3,480	100.0%	114,568	+/-3,996	100.0%	73,576	+/-3,996	100.0%	25,595	+/-1,295	100.0%
Car, truck, or van:	120,442,188	+/-131,847	86.5%	1,484,740	+/-14,765	84.5%	131,496	+/-4,216	82.0%	91,590	+/-4,265	79.9%	54,564	+/-4,265	74.2%	22,863	+/-1,312	89.3%
Drove alone	105,954,656	+/-121,899		1,285,945	+/-14,869		116,310	+/-3,759		82,877	+/-3,717		49,194	+/-3,717		20,024	+/-1,372	
Carpooled:	14,487,532	+/-73,169		198,795	+/-8,812		15,186	+/-2,023		8,713	+/-1,697		5,370	+/-1,697		2,839	+/-541	
In 2-person carpool	11,139,037	+/-64,054		161,352	+/-7,282		13,292	+/-1,909		7,685	+/-1,591		4,394	+/-1,591		2,220	+/-479	
In 3-person carpool	1,963,018	+/-29,458		25,060	+/-3,503		1,078	+/-393		518	+/-331		529	+/-331		387	+/-210	
In 4-person carpool	743,895	+/-18,769		6,722	+/-1,495		389	+/-323		83	+/-98		83	+/-98		26	+/-43	
In 5- or 6-person carpool	372,505	+/-14,089		3,502	+/-1,206		326	+/-374		326	+/-357		263	+/-357		112	+/-85	
In 7-or-more-person carpool	269,077	+/-10,356		2,159	+/-882		101	+/-117		101	+/-117		101	+/-117		94	+/-91	
Public transportation (excluding taxicab):	6,800,512	+/-44,190	4.9%	65,766	+/-4,588	3.7%	5,569	+/-1,254	3.5%	4,943	+/-1,276	4.3%	3,993	+/-1,276	5.4%	552	+/-199	2.2%
Bus or trolley bus	3,716,517	+/-38,696		54,702	+/-4,133		5,457	+/-1,249		4,831	+/-1,274		3,881	+/-1,274		552	+/-199	
Streetcar or trolley car (carro publico in Puerto Rico)	81,131	+/-4,888		4,127	+/-1,331		53	+/-87		53	+/-87		53	+/-87		0	+/-158	
Subway or elevated	2,231,851	+/-23,736		3,521	+/-798		59	+/-102		59	+/-102		59	+/-102		0	+/-158	
Railroad	731,124	+/-14,626		3,254	+/-1,025		0	+/-273		0	+/-273		0	+/-273		0	+/-158	
Ferryboat	39,889	+/-3,275		162	+/-182		0	+/-273		0	+/-273		0	+/-273		0	+/-158	
Taxicab	179,147	+/-7,909	0.1%	413	+/-300	0.0%	0	+/-273	0.0%	0	+/-273	0.0%	0	+/-273	0.0%	0	+/-158	0.0%
Motorcycle	283,879	+/-8,073	0.2%	4,422	+/-952	0.3%	443	+/-314	0.3%	390	+/-240	0.3%	266	+/-240	0.4%	71	+/-69	0.3%
Bicycle	664,859	+/-15,937	0.5%	32,937	+/-3,320	1.9%	6,958	+/-1,690	4.3%	6,427	+/-1,539	5.6%	6,243	+/-1,539	8.5%	343	+/-191	1.3%
Walked	3,954,210	+/-33,372	2.8%	62,702	+/-4,499	3.6%	6,292	+/-1,421	3.9%	5,341	+/-1,213	4.7%	4,790	+/-1,213	6.5%	752	+/-260	2.9%
Other means	1,258,267	+/-24,220	0.9%	10,651	+/-1,742	0.6%	465	+/-295	0.3%	256	+/-179	0.2%	184	+/-179	0.3%	147	+/-77	0.6%
Worked at home	5,676,622	+/-42,988	4.1%	94,926	+/-4,929	5.4%	9,235	+/-1,638	5.8%	5,621	+/-996	4.9%	3,536	+/-996	4.8%	867	+/-306	3.4%

Source: U.S. Census Bureau, 2007 American Community Survey

Data are based on a sample and are subject to sampling variability. The degree of uncertainty for an estimate arising from sampling variability is represented through the use of a margin of error. The value shown here is the 90 percent margin of error. The margin of error can be interpreted roughly as providing a 90 percent probability that the interval defined by the estimate minus the margin of error and the estimate plus the margin of error (the lower and upper confidence bounds) contains the true value. In addition to sampling variability, the ACS estimates are subject to nonsampling error (for a discussion of nonsampling variability, see Accuracy of the Data). The effect of nonsampling error is not represented in these tables.

B08303. TRAVEL TIME TO WORK - Universe: WORKERS 16 YEARS AND OVER WHO DID NOT WORK AT HOME

S0802. Means of Transportation to Work by Selected Characteristics

Data Set: 2007 American Community Survey

Survey: American Community Survey

	United States			Oregon			Lane County, Oregon			Eugene, OR Urbanized Area			Eugene city, Oregon			Springfield City, Oregon		
	Estimate	Margin of Error	%	Estimate	Margin of Error	%	Estimate	Margin of Error	%	Estimate	Margin of Error	%	Estimate	Margin of Error	%	Estimate	Margin of Error	%
Total:	133,583,062	+/-117,362	100.0%	1,661,631	+/-14,684	100.0%	151,223	+/-3,772	100.0%	108,947	+/-4,245	100.0%	70,040	+/-4,073	100.0%	24,728	+/-1,315	100.0%
Less than 5 minutes	4,747,649	+/-38,740	3.6%	77,585	+/-4,860	4.7%	5,679	+/-1,285	3.8%	3,597	+/-1,069	3.3%	2,865	+/-1,048	4.1%	1,152	+/-358	4.7%
5 to 9 minutes	14,204,074	+/-67,153	10.6%	212,142	+/-8,082	12.8%	17,544	+/-2,461	11.6%	13,160	+/-2,180	12.1%	8,652	+/-1,832	12.4%	2,500	+/-463	10.1%
10 to 14 minutes	19,240,214	+/-73,683	14.4%	287,060	+/-8,927	17.3%	31,178	+/-2,569	20.6%	25,999	+/-2,530	23.9%	18,869	+/-2,260	26.9%	4,838	+/-642	19.6%
15 to 19 minutes	20,672,398	+/-69,025	15.5%	277,503	+/-8,390	16.7%	36,549	+/-2,630	24.2%	31,386	+/-2,521	28.8%	21,132	+/-2,332	30.2%	5,875	+/-622	23.8%
20 to 24 minutes	19,408,158	+/-70,531	14.5%	243,416	+/-8,471	14.6%	27,274	+/-2,899	18.0%	19,396	+/-2,375	17.8%	10,751	+/-1,829	15.3%	4,496	+/-619	18.2%
25 to 29 minutes	7,980,479	+/-52,718	6.0%	93,157	+/-5,508	5.6%	6,773	+/-1,249	4.5%	3,040	+/-727	2.8%	1,095	+/-494	1.6%	1,314	+/-367	5.3%
30 to 34 minutes	17,863,939	+/-72,858	13.4%	194,997	+/-8,398	11.7%	13,013	+/-1,795	8.6%	6,224	+/-1,514	5.7%	3,400	+/-1,280	4.9%	2,487	+/-468	10.1%
35 to 39 minutes	3,599,855	+/-33,723	2.7%	41,037	+/-3,412	2.5%	1,693	+/-542	1.1%	235	+/-237	0.2%	235	+/-237	0.3%	219	+/-173	0.9%
40 to 44 minutes	4,809,473	+/-39,972	3.6%	48,138	+/-4,204	2.9%	1,739	+/-569	1.1%	422	+/-335	0.4%	362	+/-328	0.5%	119	+/-104	0.5%
45 to 59 minutes	10,077,288	+/-54,881	7.5%	97,785	+/-4,985	5.9%	4,071	+/-795	2.7%	1,980	+/-608	1.8%	1,055	+/-544	1.5%	402	+/-175	1.6%
60 to 89 minutes	7,607,810	+/-48,850	5.7%	60,403	+/-4,721	3.6%	3,137	+/-796	2.1%	1,887	+/-602	1.7%	935	+/-444	1.3%	595	+/-221	2.4%
90 or more minutes	3,371,725	+/-29,428	2.5%	28,408	+/-2,728	1.7%	2,573	+/-727	1.7%	1,621	+/-610	1.5%	689	+/-454	1.0%	731	+/-305	3.0%

Source: U.S. Census Bureau, 2007 American Community Survey

Data are based on a sample and are subject to sampling variability. The degree of uncertainty for an estimate arising from sampling variability is represented through the use of a margin of error. The value shown here is the 90 percent margin of error. The margin of error can be interpreted roughly as providing a 90 percent probability that the interval defined by the estimate minus the margin of error and the estimate plus the margin of error (the lower and upper confidence bounds) contains the true value. In addition to sampling variability, the ACS estimates are subject to nonsampling error (for a discussion of nonsampling variability, see Accuracy of the Data). The effect of nonsampling error is not represented in these tables.

Workers include members of the Armed Forces and civilians who were at work last week.

B08302. TIME LEAVING HOME TO GO TO WORK - Universe: WORKERS 16 YEARS AND OVER WHO DID NOT WORK AT HOME

Data Set: 2007 American Community Survey

Survey: American Community Survey

http://factfinder.census.gov/servlet/DatasetMainPageServlet?_program=ACS&_submenuld=datasets_2&_lang=en&_ts=

	United States			Oregon			Lane County, Oregon			Eugene, OR Urbanized Area			Eugene city, Oregon			Springfield City, Oregon		
	Estimate	Margin of Error	%	Estimate	Margin of Error	%	Estimate	Margin of Error	%	Estimate	Margin of Error	%	Estimate	Margin of Error	%			
Total:	133,583,062	+/-117,362	100.0%	1,661,631	+/-14,684	100.0%	151,223	+/-3,772	100.0%	108,947	+/-4,245	100.0%	70,040	+/-4,073	100.0%	24,728	+/-1,315	100.0%
12:00 a.m. to 4:59 a.m.	5,409,338	+/-42,862	4.0%	70,577	+/-4,386	4.2%	5,891	+/-1,275	3.9%	3,872	+/-1,021	3.6%	1,903	+/-779	2.7%	993	+/-262	4.0%
5:00 a.m. to 5:29 a.m.	4,908,941	+/-32,159	3.7%	57,091	+/-4,168	3.4%	3,326	+/-846	2.2%	1,870	+/-642	1.7%	866	+/-457	1.2%	842	+/-254	3.4%
5:30 a.m. to 5:59 a.m.	6,634,378	+/-39,782	5.0%	81,830	+/-5,145	4.9%	5,840	+/-981	3.9%	3,392	+/-928	3.1%	2,047	+/-843	2.9%	1,403	+/-382	5.7%
6:00 a.m. to 6:29 a.m.	12,071,731	+/-65,472	9.0%	135,985	+/-6,353	8.2%	9,325	+/-1,721	6.2%	6,449	+/-1,442	5.9%	2,881	+/-1,173	4.1%	2,199	+/-402	8.9%
6:30 a.m. to 6:59 a.m.	13,953,324	+/-71,632	10.4%	181,308	+/-7,264	10.9%	15,259	+/-2,283	10.1%	10,732	+/-2,059	9.9%	6,864	+/-1,722	9.8%	2,992	+/-486	12.1%
7:00 a.m. to 7:29 a.m.	19,797,248	+/-70,473	14.8%	239,470	+/-7,489	14.4%	16,758	+/-1,888	11.1%	11,409	+/-1,767	10.5%	7,051	+/-1,629	10.1%	2,790	+/-445	11.3%
7:30 a.m. to 7:59 a.m.	17,536,882	+/-72,503	13.1%	234,690	+/-8,365	14.1%	26,150	+/-2,316	17.3%	20,519	+/-2,291	18.8%	15,785	+/-2,272	22.5%	2,770	+/-485	11.2%
8:00 a.m. to 8:29 a.m.	14,504,230	+/-61,934	10.9%	168,642	+/-7,332	10.1%	17,211	+/-2,567	11.4%	13,000	+/-2,249	11.9%	7,985	+/-1,895	11.4%	2,699	+/-526	10.9%
8:30 a.m. to 8:59 a.m.	7,237,171	+/-48,064	5.4%	89,491	+/-4,643	5.4%	9,534	+/-1,802	6.3%	7,226	+/-1,542	6.6%	4,606	+/-1,092	6.6%	1,414	+/-353	5.7%
9:00 a.m. to 9:59 a.m.	8,148,222	+/-53,046	6.1%	110,308	+/-5,522	6.6%	11,976	+/-1,840	7.9%	9,109	+/-1,595	8.4%	6,156	+/-1,139	8.8%	1,757	+/-489	7.1%
10:00 a.m. to 10:59 a.m.	3,619,836	+/-29,436	2.7%	52,936	+/-3,736	3.2%	6,224	+/-1,336	4.1%	4,413	+/-1,196	4.1%	3,457	+/-1,122	4.9%	561	+/-184	2.3%
11:00 a.m. to 11:59 a.m.	1,656,482	+/-21,122	1.2%	27,463	+/-2,938	1.7%	1,715	+/-554	1.1%	1,433	+/-520	1.3%	795	+/-320	1.1%	372	+/-152	1.5%
12:00 p.m. to 3:59 p.m.	9,233,810	+/-57,043	6.9%	110,462	+/-5,703	6.6%	12,109	+/-1,843	8.0%	7,971	+/-1,521	7.3%	5,162	+/-1,259	7.4%	2,127	+/-498	8.6%
4:00 p.m. to 11:59 p.m.	8,871,469	+/-48,496	6.6%	101,378	+/-5,526	6.1%	9,905	+/-2,149	6.5%	7,552	+/-1,794	6.9%	4,482	+/-1,312	6.4%	1,809	+/-361	7.3%

Source: U.S. Census Bureau, 2007 American Community Survey

Data are based on a sample and are subject to sampling variability. The degree of uncertainty for an estimate arising from sampling variability is represented through the use of a margin of error. The value shown here is the 90 percent margin of error. The margin of error can be interpreted roughly as providing a 90 percent probability that the interval defined by the estimate minus the margin of error and the estimate plus the margin of error (the lower and upper confidence bounds) contains the true value. In addition to sampling variability, the ACS estimates are subject to nonsampling error (for a discussion of nonsampling variability, see Accuracy of the Data). The effect of nonsampling error is not represented in these tables.

Workers include members of the Armed Forces and civilians who were at work last week.

GEOGRAPHIES used by the 2007 American Community Survey/ US Census

http://factfinder.census.gov/servlet/DatasetMainPageServlet?_program=ACS&_submenuId=datasets_2&_lang=en&_ts=


Eugene, OR Urbanized Area

Boundaries

- State
- '06 County
- '00 Urban Area
- '00 Urban Area


Features

- Major Road
- Street
- Stream/Waterbody
- Stream/Waterbody



Eugene city, Oregon

- Boundaries**
- State
 - '06 County
 - '06 Co Sub
 - '06 Place
 - '06 Place
 - '00 Urban Area
 - '00 Urban Area
- Features**
- Major Road
 - Street
 - Stream/Waterbody
 - Stream/Waterbody



Springfield City, Oregon

Boundaries

- Division
- State
- '07 County
- '07 Place
- '07 Place
- '00 Urban Area
- '00 Urban Area

Features

- Major Road
- Stream/Waterbody
- Stream/Waterbody

